

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1470	710/110-118,123-125.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 11:02
L2	379	L1 and (PCI near3 bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 11:02
L3	88	L2 and (round near3 robin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 11:02
L4	64	L3 and (high\$3 near3 priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 11:02
L5	121	(stop\$5 halt\$4 ceas\$4 interrupt\$4) with ((round near3 robin) order\$5 rotation) with (agent master device) with (ready)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 11:04
S1	4293	710/36,40,107,110-118,123-125.ccls. or 709/240,250.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 16:41
S2	1425	710/110-118,123-125.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 16:58
S3	371	S2 and (PCI near3 bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 16:59
S4	87	S3 and (round near3 robin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 16:59
S5	64	S4 and (high\$3 near3 priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:32
S6	1320	(PCI near3 bus) with (arbiter arbitration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:33
S7	1091	S6 and ((round near3 robin) order\$5 rotation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:34

S8	120	(stop\$5 halt\$4 ceas\$4 interrupt\$4) with ((round near3 robin) order\$5 rotation) with (agent master device) with (ready)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 11:04
S9	2	S7 and (stop\$5 halt\$4 ceas\$4 interrupt\$4) with ((round near3 robin) order\$5 rotation) with (agent master device) with (ready)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:36
S10	31	S7 and (stop\$5 halt\$4 ceas\$4 interrupt\$4) with ((round near3 robin) order\$5 rotation) with (agent master device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:41
S11	154	S7 and (stop\$5 halt\$4 ceas\$4 interrupt\$4) with ((round near3 robin) order\$5 rotation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:42
S12	10398	bus near3 (arbitration arbiter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 08:10
S13	22	S12 and ((round near3 robin) rotation\$4) with (interrupt) with (priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 08:10
S14	199	S12 and ((round near3 robin) rotation\$4) with (high\$3 near3 priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 08:15
S15	1320	PCI near3 bus with (arbitration arbiter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 08:11
S16	43	S15 and ((round near3 robin) rotation\$4) with (high\$3 near3 priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 08:11
S17	586	(request near3 bus) with (data) with (ready available)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 09:38
S18	67	(master) with (request near3 bus) with (data) with (ready available)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 09:28
S27	155	(request near3 bus) near3 data near3 (ready available)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 09:53
S28	218	(request near3 bus) near5 data near5 (ready available)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 09:53

S29	67	(master) with (request near3 bus) with (data) with (ready available)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 10:21
S30	10398	bus near3 (arbitration arbiter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:46
S32	26	waterbug	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:17
S34	578	S33 same PCI near3 bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:18